


- ## Notes
- 
1. This drawing is copyright ©
  2. Do not scale off this drawing
  3. All levels and dimensions to be checked on site before any building work commences
  4. Any discrepancies to be reported to the officer of the consultant
  5. All work to be strictly in accordance with the standard specifications and notes
  6. This drawing is to be read in conjunction with specifications and all other relevant drawings
  7. Walls below 200mm thick to be reinforced with hoop iron at every alternate course
  8. Depth of foundations to be decided on site
  9. pv doors permanent air vents over doors and windows as shown on drawings
  10. A single layer of 3-ply bituminous felt to be provided between masonry and c.c. work
  11. Drain pipes passing under tarmac, driveways, and buildings to be encased in 150mm thick concrete surround
  12. All reinforced concrete work to Structural Engineer's drawings
  13. All sanitary works to the entire satisfaction of MoH
  14. All roads, storm water drainage and foul sewerage to Civil Engineer's drawings



REVISIONS.		
Rev no.	Date.	Descriptions.



MAS CONCEPTS LTD

SAUTI YA KENYA RD, BEHIND TAA BUILDING - GANJONI  
P.O. BOX 84258 - 80100  
MOMBASA, KENYA  
TEL+254 722 978 886  
E-mail: masconceptsld@gmail.com

Job:  
**PROPOSED BOUNDARY WALL ON  
 PLOT NO 12889/380  
 KILIFI MANDHARINI, KILIFI COUNTY**  
 TOTAL BOUNDARY WALL LENGTH  
 = 1,025.3LM

Client

**KENYA COAST NATIONAL  
POLYTECHNIC**

P.O BOX 81220-80100  
MOMBASA

signature. ....

Dwg. title:	

### Approval Drawings

Scale: As Shown	<b>Architect:</b> Mohamed Salim
Date: January 2023	
Drawn: Omar	
Job no. <b>MAS / 01 / 23</b>	A1210.....
	<b>SHEET No-</b>